

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 6 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5 709/201,203,206,242.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 10:28 |
| L2 | 7 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5 370/252,253,352,389,392,400,442,406,428.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 10:30 |
| S1 | 917 | @ad<="20031208" device adj identifiers | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:13 |
| S2 | 0 | @ad<="20031208" device adj identifiers pchid | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:13 |
| S3 | 1 | @ad<="20031208" device adj identifiers physical near channel logical near channel | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:15 |
| S4 | 261 | @ad<="20031208" device adj identifiers mapping | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:15 |
| S5 | 169 | @ad<="20031208" device adj identifiers automa\$5 mapping | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:15 |
| S6 | 0 | @ad<="20031208" device adj identifiers automa\$5 adj mapping | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:16 |
| S7 | 6 | @ad<="20031208" device adj identifiers automa\$5 near2 mapping | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:00 |
| S8 | 59 | @ad<="20031208" device adj identifiers "370"/\$.ccls. mapping | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:20 |

| | | | | | | |
|-----|-----|---|--------------------|-----|-----|---------------------|
| S9 | 1 | @ad<="20031208" device adj identifiers "370"/\$.ccls. mapping logical near definitions | US-PGPUB; USPAT | AND | OFF | 2007/05/29 15:21 |
| S11 | 1 | @ad<="20031208" device adj identifiers "370"/\$.ccls. logical with definitions | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:51 |
| S12 | 1 | @ad<="20031208" device adj identifiers "370"/\$.ccls. logical near definitions | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:51 |
| S13 | 2 | @ad<="20031208" mapping near3 identi\$3 pchid | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:54 |
| S14 | 2 | @ad<="20031208" mapping near3 identi\$3 chpid | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:54 |
| S15 | 649 | @ad<="20031208" mapping near3 identi\$3 configur\$5 near5 devic\$2 | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:55 |
| S16 | 0 | @ad<="20031208" mapping near3 identi\$3 configur\$5 near devic\$2 | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:55 |
| S17 | 21 | @ad<="20031208" mapping near3 identi\$3 configuring near devic\$2 | US-PGPUB; USPAT | AND | OFF | 2007/09/26 10:55 |
| S18 | 0 | @ad<="20031208" device adj identifiers automa\$5 near2 mapping 370/229,235,252,255,389,351.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:04 |
| S19 | 0 | @ad<="20031208" device adj identifiers automa\$5 near2 mapping "370"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:01 |
| S20 | 1 | beichter-friedrich-w.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:01 |
| S21 | 6 | hughes-john-j.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:01 |
| S22 | 2 | ranjan-ravi.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:02 |
| S23 | 20 | shapley-charles-e.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:03 |
| S24 | 2 | urquhart-james-r.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:03 |
| S25 | 1 | zerba-brian-k.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:03 |

| | | | | | | |
|-----|------|---|--------------------|-----|-----|---------------------|
| S26 | 5 | @ad<="20031208" device near identifiers automatic near2 mapping | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:49 |
| S27 | 0 | siamak-nazari.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:07 |
| S28 | 10 | nazari-siamak.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:17 |
| S29 | 10 | nazari-siamak.in. @ad<="20031208" | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:16 |
| S30 | 0 | nazari-siamak.in. @ad<="20031208" physcial near path | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:11 |
| S31 | 0 | nazari-siamak.in. @ad<="20031208" physcial near3 path | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:11 |
| S32 | 2 | nazari-siamak.in. @ad<="20031208" physical near3 path | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:11 |
| S33 | 0 | nazari-siamak.in. mapping with identifier | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:16 |
| S34 | 0 | nazari-siamak.in. @ad<="20031208" mapping near3 identifier | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:17 |
| S35 | 0 | nazari-siamak.in. @ad<="20031208" mapping near3 identifier \$2 | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:17 |
| S36 | 10 | hisgen-andrew-l.in. | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:18 |
| S37 | 1 | hisgen-andrew-l.in. identifiers | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:18 |
| S38 | 17 | @ad<="20031208" device near identifiers priority with resource | US-PGPUB; USPAT | AND | OFF | 2007/09/26 11:50 |
| S39 | 3437 | @ad<="20031208" (single near2 point\$2) with (failure or repair) | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:08 |
| S40 | 929 | @ad<="20031208" (single near2 point\$2) with (failure or repair) mapping | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:08 |
| S41 | 17 | @ad<="20031208" (single near2 point\$2) with (failure or repair) mapping near2 identifier | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:08 |

| | | | | | | |
|-----|---|---|---|-----|-----|---------------------|
| S42 | 1 | @ad<="20031208" (single near2 point\$2) with (failure repair) mapping near2 identifier | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:22 |
| S43 | 1 | @ad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:22 |
| S44 | 0 | @prad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier | US-PGPUB; USPAT | AND | OFF | 2008/04/29 10:22 |
| S45 | 1 | @ad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:22 |
| S46 | 0 | @rlad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:22 |
| S47 | 0 | @rlad<="20031208" (single near4 point\$2) with (failure repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:22 |
| S48 | 0 | @rlad<="20031208" (single near4 point\$2) same (failure repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:23 |
| S49 | 1 | @ad<="20031208" (single near4 point\$2) same (failure repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:23 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S50 | 51 | @ad<="20031208" (single near4 point\$2) same (failure or repair) mapping with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:23 |
| S51 | 24 | @ad<="20031208" (single near2 point\$2) same (failure or repair) mapping near5 identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:23 |
| S52 | 18 | @ad<="20031208" (single near2 point\$2) same (failure or repair) avoid mapping near5 identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:24 |
| S53 | 13 | @ad<="20031208" (single near2 point\$2) (failure or repair) same avoid mapping near5 identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:25 |
| S54 | 14 | @ad<="20031208" (single near4 point\$2) (failure or repair) same avoid mapping near5 identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:25 |
| S55 | 3 | @ad<="20031208" (single near4 point\$2) (failure or repair) with avoid mapping near5 identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:26 |

| | | | | | | |
|-----|------|---|---|-----|-----|---------------------|
| S56 | 3739 | @ad<="20031208" (single near4 point\$2) with (failure or repair) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:26 |
| S57 | 236 | @ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:27 |
| S58 | 7 | @ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair) mapping with path\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:27 |
| S59 | 11 | @ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair) mapping same path\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/04/29 10:28 |
| S60 | 3059 | @ad<="20031208" mapp\$3 with (build near3 computer or machine) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:24 |
| S61 | 4 | @ad<="20031208" mapp\$3 with (build near3 computer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:25 |

| | | | | | | |
|-----|---|---|---|-----|-----|---------------------|
| S62 | 6 | @ad<="20031208" mapp\$3 same (build near3 computer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:26 |
| S63 | 0 | @ad<="20031208" mapp\$3 same (computer near component \$2 near2 build) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:27 |
| S64 | 0 | @ad<="20031208" mapp\$3 same (computer near component \$2) prior near2 install\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:27 |
| S65 | 1 | @ad<="20031208" mapp\$3 same (computer near3 component\$2) prior near2 install\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:27 |
| S66 | 0 | @ad<="20031208" (computer near3 component\$2) mapping with (prior near2 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:30 |
| S67 | 0 | @ad<="20031208" (computer near3 component\$2) mapping same (prior near2 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:30 |

| | | | | | | |
|-----|---|---|---|-----|-----|---------------------|
| S68 | 0 | @ad<="20031208" (computer near3 component\$2) mapping same (prior near5install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:30 |
| S69 | 0 | @ad<="20031208" (computer near3 component\$2) mapping same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:30 |
| S70 | 6 | @ad<="20031208" computer mapping same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:30 |
| S71 | 1 | @ad<="20031208" components with computer\$2 mapping same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 10:33 |
| S72 | 0 | @ad<="20031208" hardware near4 build\$4 mapping same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:09 |
| S73 | 0 | @ad<="20031208" hardware (mapping near4 component\$2) same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:10 |

| | | | | | | |
|-----|-----|--|---|-----|-----|---------------------|
| S74 | 0 | @ad<="20031208" (mapping near4 component\$2) same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:10 |
| S75 | 0 | @ad<="20031208" (hardware near4 component\$2) same (prior near5 install\$4) mapping' | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:10 |
| S76 | 0 | @ad<="20031208" (hardware near4 component\$2) same (prior near5 install\$4) mapping | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:10 |
| S77 | 2 | @ad<="20031208" (mapping with configuration) same (prior near5 install\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:11 |
| S78 | 253 | @ad<="20031208" configuration same (prior near5 install\$4) hardware | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:12 |
| S79 | 5 | @ad<="20031208" configuration same (prior near5 install\$4) hardware with mapping | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 14:12 |

| | | | | | | |
|-----|---|---|---|-----|-----|---------------------|
| S80 | 0 | "6763454".in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 15:57 |
| S81 | 2 | "6763454".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/09/04 15:57 |
| S82 | 9 | @ad<="20031208" (avoid near5 point\$2) with (failure or repair) mapping same path\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 07:56 |
| S83 | 1 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with machin\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 07:58 |
| S84 | 2 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with processor\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 07:59 |
| S85 | 0 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with (structure near4 physical) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 07:59 |

| | | | | | | |
|-----|---|--|---|-----|-----|---------------------|
| S86 | 4 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with structure | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:00 |
| S87 | 0 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with physical\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:03 |
| S88 | 5 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:03 |
| S89 | 9 | @ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping same identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:05 |
| S90 | 8 | @ad<="20031208" (avoid with point\$2) same (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:05 |
| S91 | 5 | @ad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:07 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S92 | 8 | @rad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:07 |
| S93 | 1 | @rad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:07 |
| S94 | 230 | @ad<="20031208" avoid with (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:17 |
| S95 | 5 | @ad<="20031208" (point\$2 near8 avoid) with (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:18 |
| S96 | 811 | @ad<="20031208" point\$2 with (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:18 |
| S97 | 4 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) mapping near4 identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:19 |

| | | | | | | |
|------|----|---|---|-----|-----|---------------------|
| S98 | 7 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) mapping with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:19 |
| S99 | 35 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:22 |
| S100 | 12 | @ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5 709/220,223,226,229,243.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/04/05 08:49 |

4/5/2009 10:30:30 AM

C:\Documents and Settings\rjain1\My Documents\EAST\Workspaces\10730664.wsp